

01-26-01

A

jc912 U.S. PRO
01/25/01Please type a plus sign (+) inside this box ☐PTO/SB/05 (11-00)
Approved for use through 10/31/2002. OMB 0651-0032

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

**UTILITY
PATENT APPLICATION
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 660-031

First Inventor Spencer A. Rathus

Title METHOD AND APPARATUS FOR ACCESSING ELECTRONIC DATA VIA A FAMILIAR
PRINTED MEDIUM

Express Mail Label No. ET025780713US

jc920 U.S. PRO
09/769135
01/25/01**APPLICATION ELEMENTS**

See MPEP chapter 600 concerning utility patent application contents.

1. ☐ Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original and a duplicate for fee processing)
See 37 CFR 1.27.
2. ☒ Applicant claims small entity status.
See 37 CFR 1.27.
3. ☒ Specification [Total Pages 59]
(preferred arrangement set forth below)
- Descriptive title of the invention
- Cross Reference to Related Applications
- Statement Regarding Fed sponsored R & D
- Reference to sequence listing, a table,
or a computer program listing appendix
- Background of the Invention
- Brief Summary of the Invention
- Brief Description of the Drawings (if filed)
- Detailed Description
- Claim(s)
- Abstract of the Disclosure
4. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 15]
5. Oath or Declaration [Total Pages 2]
a. ☐ Newly executed (original or copy)
Copy from a prior application (37 CFR 1.63 (d))
b. ☒ (for continuation/divisional with Box 18 completed)
i. ☐ **DELETION OF INVENTOR(S)**
Signed statement attached deleting inventor(s)
named in the prior application, see 37 CFR
1.63(d)(2) and 1.33(b).
6. ☐ Application Data Sheet. See 37 CFR 1.76

ADDRESS TO: Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

7. ☐ CD-ROM or CD-R in duplicate, large table or
Computer Program (Appendix)
8. Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
a. ☐ Computer Readable Form (CRF)
b. Specification Sequence Listing on:
i. ☐ CD-ROM or CD-R (2 copies); or
ii. ☐ paper
c. ☐ Statements verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

9. ☐ Assignment Papers (cover sheet & document(s))
10. ☐ 37 CFR 3.73(b) Statement of Power of
(when there is an assignee) Attorney
11. ☐ English Translation Document (if applicable)
12. ☐ Information Disclosure Statement (IDS)/PTO-1449
Copies of IDS Citations
13. ☒ Preliminary Amendment
14. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
15. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
16. ☐ Request and Certification under 35 U.S.C. 122
(b)(2)(B)(i). Applicant must attach form PTO/SB/35
or its equivalent.
17. ☐ Other:

18. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment,
or in an Application Data Sheet under 37 CFR 1.76:☒ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: 09 / 365,961

Prior application information

Examiner Le, Then Minh

Group Art Unit 2876

For CONTINUATION OR DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under
Box 5b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference.
The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.**19. CORRESPONDENCE ADDRESS**☐ Customer Number or Bar Code Label

(Insert Customer No. or Attach bar code label here)

or ☒ Correspondence address below

Name Ward & Olivo

Address 382 Springfield Avenue

City Summit

State

New Jersey

Zip Code

07901

Country U.S.A.

Telephone

(908) 277-3333

Fax

(908) 277-6373

Name (Print/Type)

John W. Olivo, Jr.

Registration No. (Attorney/Agent)

35,634

Signature

Date

1/25/01

Burden Hour Statement. This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on
the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC
20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application,
Washington, DC 20231.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Spencer A. Rathus, et al.

Serial No.: TO BE ASSIGNED

Group Art Unit: TBA

Filed: January 25, 2001

Examiner: TBA

For: METHOD AND APPARATUS FOR
ACCESSING ELECTRONIC DATA
VIA A FAMILIAR PRINTED MEDIUM

Atty. Doc. No.: 660-031

Honorable Commissioner of Patents and Trademarks
Washington, D.C. 20231

SUPPLEMENTAL PRELIMINARY AMENDMENT

Prior to substantive review of the subject application,
please amend as follows:

IN THE CLAIMS

Please cancel claims 1-167. Please add the following new
claims:

168. A system for displaying programming to a user, the system

comprising:

a printed travel ticket having at least one machine

recognizable feature;

a feature recognition unit having associated therewith

a means for recognizing said feature and a means

for transmitting a coded signal in response to the

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

recognition of said feature;

an intelligent controller having associated therewith a

means for accessing said programming material in

response to receiving said coded signal; and

a display unit for presenting said programming

material.

169. A system as defined in claim 168 wherein said travel ticket comprises an airplane ticket.

170. A system as defined in claim 168 wherein said travel ticket comprises a train ticket.

171. A system as defined in claim 168 wherein said travel ticket comprises a bus ticket.

172. A system as defined in claim 168 wherein said travel ticket comprises a ship ticket.

173. A system as defined in claim 168 wherein said travel ticket comprises a ferry ticket.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

174. A system as defined in claim 168 wherein said at least one machine recognizable feature has associated therewith a data link which is recognized by said feature recognition unit.

175. A system as defined in claim 174 wherein said data link comprises an image data link.

176. A system as defined in claim 174 wherein said data link comprises a video data link.

177. A system as defined in claim 174 wherein said data link comprises a programming data link.

178. A system as defined in claim 174 wherein said data link comprises a sound data link.

179. A system as defined in claim 174 wherein said data link comprises an online data link.

180. A system as defined in claim 174 wherein said data link

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

comprises an online shopping data link.

181. A system as defined in claim 174 wherein said data link comprises a pictorial data link.

182. A system as defined in claim 174 wherein said data link comprises an electronic data link.

183. A system as defined in claim 174 wherein said data link comprises an electronic media link.

184. A system as defined in claim 174 wherein said data link comprises an "information superhighway" data link.

185. A system as defined in claim 184 wherein said "information superhighway" data link comprises the internet.

186. A system as defined in claim 184 wherein said "information superhighway" data link comprises the world wide web.

187. A system as defined in claim 184 wherein said "information

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

superhighway" data link comprises a computer network.

188. A system as defined in claim 184 wherein said "information superhighway" data link comprises an ISDN network.

189. A system as defined in claim 184 wherein said "information superhighway" data link comprises a telephone line.

190. A system as defined in claim 184 wherein said "information superhighway" data link comprises a CATV line.

191. A system as defined in claim 184 wherein said "information superhighway" data link comprises a local area network.

192. A system as defined in claim 184 wherein said "information superhighway" data link comprises a wide area network.

193. A system as defined in claim 184 wherein said "information superhighway" data link comprises a data communications network.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

194. A system as defined in claim 184 wherein said "information superhighway" data link comprises an Internet Product Service Directory.
195. A system as defined in claim 184 wherein said "information superhighway" data link comprises a globally based digital communications network.
196. A system as defined in claim 184 wherein said "information superhighway" data link comprises a wireless network link.
197. A system as defined in claim 184 wherein said "information superhighway" data link comprises a Wireless Application Protocol internet.
198. A system as defined in claim 184 wherein said "information superhighway" data link comprises an ethernet network.
199. A system as defined in claim 184 wherein said "information superhighway" data link comprises a RF cellular network.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

200. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a bar code.

201. A system as defined in claim 200 wherein said bar code comprises a Universal Product Code.

202. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises an invisible bar code.

203. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a magnetic code.

204. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a printed character.

205. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a symbol.

206. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a pictorial icon.

RECEIVED
MAR 11 1988
COMMUNICATIONS SECTION
U.S. PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20540

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

207. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises an invisible indicia.
208. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a two-dimensional figure.
209. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises an icon.
210. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises an invisible icon.
211. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a watermark.
212. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises an invisible watermark.
213. A system as defined in claim 212 wherein said invisible

PATENT
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

watermark comprises a digital watermark.

214. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a series of alphanumeric characters.

215. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a binary code.

216. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a digital watermark.

217. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a magnetic strip.

218. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a code.

219. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises an online shopping product code.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

220. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a home shopping product code.

221. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises an online shopping service code.

222. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a home shopping service code.

223. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises an analog pattern.

224. A system as defined in claim 168 wherein said at least one machine recognizable feature comprises a hieroglyphic character.

225. A system as defined in claim in 168 wherein said programming material comprises information.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

226. A system as defined in claim 225 wherein said information comprises seat information.

227. A system as defined in claim 225 wherein said information comprises seat location illustrations.

228. A system as defined in claim 225 wherein said information comprises arrival terminal information.

229. A system as defined in claim 225 wherein said information comprises departure terminal information.

230. A system as defined in claim 225 wherein said information comprises passenger information.

231. A system as defined in claim 225 wherein said information comprises information regarding a mode of travel.

232. A system as defined in claim 231 wherein said information regarding a mode of travel comprises onboard restaurant information.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

233. A system as defined in claim 231 wherein said information regarding a mode of travel comprises onboard restaurant menus.

234. A system as defined in claim 231 wherein said information regarding a mode of travel comprises safety information.

235. A system as defined in claim 231 wherein said information regarding a mode of travel comprises smoking restrictions.

236. A system as defined in claim 225 wherein said information comprises information about the background of the mode of travel.

237. A system as defined in claim 225 wherein said information comprises information about the route traveled.

238. A system as defined in claim 225 wherein said information comprises information about providers of a means of travel.

239. A system as defined in claim 225 wherein said information

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

comprises information about sponsors of a means of travel.

240. A system as defined in claim 225 wherein said information comprises information of promoters of a means of travel.

241. A system as defined in claim 225 wherein said information comprises weather information.

242. A system as defined in claim 225 wherein said information comprises information about travel time changes.

243. A system as defined in claim 225 wherein said information comprises travel guide information.

244. A system as defined in claim 243 wherein said travel guide information comprises typical weather patterns.

245. A system as defined in claim 243 wherein said travel guide information comprises accommodation information.

246. A system as defined in claim 243 wherein said travel guide

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

information comprises information on attractions.

247. A system as defined in claim 243 wherein said travel guide information comprises dining information.

248. A system as defined in claim 243 wherein said travel guide information comprises local transportation information.

249. A system as defined in claim 243 wherein said travel guide information comprises health facility information.

250. A system as defined in claim 243 wherein said travel guide information comprises consulate information.

251. A system as defined in claim 243 wherein said travel guide information comprises currency exchange information.

252. A system as defined in claim 243 wherein said travel guide information comprises travel tips.

253. A system as defined in claim in 168 wherein said programming

PATENT
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

material comprises a service.

254. A system as defined in claim 253 wherein said service includes displaying promotional programming on said display unit of said user.

255. A system as defined in claim 253 wherein said service includes establishing a communication link with said user.

256. A system as defined in claim 255 wherein said communication link includes conducting an interaction with said user via a telephone.

257. A system as defined in claim 255 wherein said communication link includes conducting an interaction between a plurality of users via an online communication chat link.

258. A system as defined in claim 255 wherein said communication link comprises an onboard food ordering service.

259. A system as defined in claim 255 wherein said communication

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

link comprises interactive travel planning.

260. A system as defined in claim 255 wherein said communication link comprises making reservations.

261. A system as defined in claim 255 wherein said communication link comprises making payments.

262. A system as defined in claim 255 wherein said communication link comprises making travel arrangements.

263. A system as defined in claim 255 wherein said communication link comprises changing travel arrangements.

264. A system as defined in claim 255 wherein said communication link comprises purchasing merchandise.

265. A system as defined in claim 255 wherein said communication link comprises obtaining discounts.

266. A system as defined in claim 255 wherein said communication

PATENT
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

link comprises achieving travel rewards.

267. A system as defined in claim 255 wherein said communication link comprises a promotion to win free travel tickets.

268. A system as defined in claim 255 wherein said communication link comprises posting reviews regarding a mode of transportation.

269. A system as defined in claim 253 wherein said service comprises a currency exchange calculator.

270. A system as defined in claim 168 wherein said display unit comprises a personal computer.

271. A system as defined in claim 270 wherein said personal computer comprises a laptop computer.

272. A system as defined in claim 168 wherein said display unit comprises a television.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

273. A system as defined in claim 168 wherein said display unit comprises a device containing a microprocessor.

274. A system as defined in claim 273 wherein said device containing a microprocessor is hand-held.

275. A system as defined in claim 273 wherein said device containing a microprocessor is portable.

276. A system as defined in claim 168 wherein said display unit comprises a personal digital planner.

277. A system as defined in claim 168 wherein said display unit comprises an internet appliance.

278. A system as defined in claim 168 wherein said display unit comprises a cellular telephone.

279. A system as defined in claim 168 wherein said display unit comprises a wireless communication device.

PATENT
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

280. A system as defined in claim 168 wherein said display unit comprises a simulated book.

281. A system as defined in claim 168 wherein said display unit comprises an intelligent terminal.

282. A system as defined in claim 168 wherein said display unit comprises a web-based television.

283. A system as defined in claim 168 wherein said display unit comprises a pager.

284. A system as defined in claim 168 wherein said display unit comprises an Internet-enabled telephone.

285. A system as defined in claim 168 wherein said recognition unit is selected from a group consisting of a hand-held unit, a scanner, a bar code scanner, an optical code reader, an optical reader, a personal camera, a personal computer reader, a digital camera, a digital mouse and an optical mouse.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

286. A system as defined in claim 285 wherein said recognition unit is linked to a personal computer.

287. A system as defined in claim 285 wherein said recognition unit is linked to a wireless interface.

288. A system as defined in claim 287 wherein said wireless interface comprises a wireless network.

289. A system as defined in claim 288 wherein said wireless network comprises a cellular network.

290. A system as defined in claim 287 wherein said wireless interface comprises a cellular telephone.

291. A system as defined in claim 287 wherein said wireless interface comprises a pager.

292. A system as defined in claim 287 wherein said wireless interface comprises a wireless personal computer.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

293. A system as defined in claim 287 wherein said wireless interface comprises a personal digital assistant.
294. A system as defined in claim 285 wherein said recognition unit is linked to a personal digital assistant.
295. A system as defined in claim 285 wherein said recognition unit is linked to an Internet appliance.
296. A system as defined in claim 285 wherein said recognition unit is linked to a television set.
297. A system as defined in claim 285 wherein said recognition unit comprises a portion of a cellular telephone.
298. A system as defined in claim 285 wherein said recognition unit comprises a portion of a personal digital assistant.
299. A system as defined in claim 285 wherein said recognition unit comprises a portion of a remote control unit.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

300. A system as defined in claim 285 wherein said recognition unit comprises a portion of a handwriting implement.

301. A method of providing a user access to programming material, comprising the steps of:

imprinting a machine recognizable feature within a travel ticket;

scanning said machine recognizable feature of said travel ticket; and

transmitting data associated with said machine recognizable feature via a communication link to access said programming material, wherein said programming material is related to said travel ticket.

302. The method of claim 301 wherein said communication link includes the Internet.

303. The method of claim 301 wherein said machine recognizable feature is selected from a group consisting of bar code, universal product code, invisible bar code, magnetic code,

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

printed character, symbol, icon, invisible indicia, two-dimensional figure, icon, invisible icon, watermark, invisible watermark, digital watermark, series of alphanumeric characters, binary code, digital watermark, magnetic strip, code, analog pattern, and hieroglyphic character.

304. A method of providing a user access to supplemental programming material associated with a travel ticket, comprising the steps of:

imprinting a machine recognizable feature within said travel ticket wherein said machine recognizable feature has associated therewith a command sequence for accessing programming material;

scanning said machine recognizable feature within said travel ticket and downloading data indicative of said machine recognizable feature via the Internet to a remote server;

accessing programming material from said remote server;

and

transmitting said programming material to said user

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

allowing said user to perceive said programming material in a humanly perceivable form, wherein said programming material is related to said travel ticket.

305. The method of claim 304 wherein said programming material comprises multimedia.

306. The method of claim 304 wherein said machine recognizable feature is selected from a group consisting of a bar code, a universal product code, invisible bar code, magnetic code, printed character, symbol, icon, invisible indicia, two-dimensional figure, icon, invisible icon, watermark, invisible watermark, digital watermark, series of alphanumeric characters, binary code, digital watermark, magnetic strip, code, analog pattern, and hieroglyphic character.

PATENT


IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

REMARKS

Applicant respectfully submits that claims 168-306 represent a patentable contribution to the art and the application is believed to be in good condition for allowance. Early and favorable action is respectfully requested.

Respectfully submitted,

Date: January 25, 2001



John W. Olivo, Jr.
Reg. No. 35,634
WARD & OLIVO
382 Springfield Avenue
Summit, New Jersey 07901
(908) 277-3333

1 METHOD AND APPARATUS FOR ACCESSING ELECTRONIC

2 DATA VIA A FAMILIAR PRINTED MEDIUM

3 CROSS REFERENCE TO RELATED APPLICATIONS

4 This application is a continuation-in-part of application
5 serial number 08/628,246, filed April 4, 1996.

6 FIELD OF THE INVENTION

7 The present invention relates generally to the electronic
8 media industry -- such as cable television (CATV), home shopping
9 services, on-line computer services, personal computer
10 applications, and CD-ROM-based multi-media applications -- and,
11 more particularly, to a method and apparatus for allowing a user
12 to access and make use of such electronic media services via a
13 device that makes use of a standard book, magazine or other
14 printed work.

15
16 BACKGROUND OF THE INVENTION

17 It is a well-known fact that a large fraction of the
18 population is unfamiliar with the operation or use of modern
19 computer devices. This remains true despite significant advances
20 in user-interface technology -- such as mouses, windows, menus
21 and the like. It is commonly said that such technology makes
22 computers "user friendly." However, the modern

1 mouse/window/menu-based user-interface technology has been widely
2 available for several years, and yet it still appears that this
3 technology is not a panacea for computer-phobia. Indeed, studies
4 have shown that a majority of VCR owners cannot operate the
5 simple menu-based interface used to program their VCRs. Thus,
6 there exists a great need for improved user-interface technology,
7 if computer-based electronic media is to become as widely used
8 and accepted as television or radio.

9 This need for improved user-interface technology will become
10 even greater with the arrival of technology such as the presently
11 planned "information superhighway," which will permit delivery of
12 high-bandwidth (i.e., full-motion video rate) digital data into
13 millions of homes via fiber optic, cable, RF, microwave or
14 satellite links. Such technology will, in concept, permit
15 instant delivery of a virtually limitless selection of
16 commercial, informational, educational and entertainment
17 programming at a user's request. However, without better user-
18 interface technology, the average user may not be capable of
19 enjoying the vast capabilities of such a system. Indeed, it is
20 clear that the number of programming choices available to the
21 user of such technology will be far greater than the number of
22 choices involved in programming a VCR -- a task already

1 demonstrated to be too complicated for the average user of
2 present-day user-interface technology.

3 In contrast to the difficulty many people encounter in using
4 remote controls and other prior art computer interfaces, printed
5 matter -- such as books and magazines -- represents an almost
6 universally familiar and non-intimidating medium by which a user
7 can acquire desired information. Even illiterate individuals
8 incapable of reading text can nonetheless peruse pages of printed
9 matter and appreciate the substance of flashy advertisements and
10 the like. Thus, it would be highly desirable to provide a system
11 with the information accessing capabilities of a modern CD-ROM or
12 on-line computer system, and the user-interface simplicity of
13 printed matter.

14 The prior art includes a class of devices known as "talking
15 books" -- see, e.g., U.S. Patent Nos. 4,636,881 entitled TALKING
16 BOOK WITH AN INFRARED DETECTOR USED TO DETECT PAGE TURNING,
17 4,702,573 entitled VISUAL AND AUDIBLE ACTIVATED WORK AND METHOD
18 OF FORMING SAME, 4,778,391 entitled SOUND-PRODUCING AMUSEMENT OR
19 EDUCATIONAL DEVICES, 4,809,246 entitled SOUND ILLUSTRATED BOOK
20 HAVING PAGE INDICATOR CIRCUIT, 4,990,092 entitled TALKING BOOK
21 and 5,209,665 entitled INTERACTIVE AUDIO VISUAL WORK, all of
22 which are incorporated herein by reference. Typically, these

1 "talking books" consist of a book with various sensors which --
2 when activated by touching, page turning, etc. -- cause a sound
3 generating means (also embedded within the book) to produce or
4 replay particular sounds. Talking books thus provide an
5 interface for allowing an unsophisticated user (i.e., a child) to
6 access a very primitive computer (i.e., the sound generating
7 means embedded within the book) via familiar printed matter
8 (i.e., the book with embedded sensors). Importantly, however,
9 talking books do not provide a means for interfacing with modern
10 electronic media -- such as cable television (CATV), home
11 shopping services, on-line computer services, CD-ROM-based multi-
12 media applications, interactive TV or home computer applications.

13 One approach to interfacing with these modern electronic
14 media is the "simulated book" -- see, e.g., U.S. Patent No.
15 4,855,725, entitled MICROPROCESSOR BASED SIMULATED BOOK,
16 incorporated herein by reference. The "simulated book" is in
17 essence a book-size intelligent graphics terminal. Unlike the
18 talking books, the simulated book is not a self-contained system,
19 but rather transmits commands to and receives data from a CD-ROM
20 equipped personal computer via a wireless link. Thus, the
21 programming that the simulated book can access is not limited to
22 that which can be stored in embedded memory devices, as with the

1 talking books. Importantly, however, the user-interface provided
2 by the simulated book is essentially the conventional computer
3 interface -- i.e., keys, pointer, menus, etc. Therefore, a
4 computer-phobic user will likely still find the simulated book
5 intimidating and inaccessible.

6 A disadvantage of both the talking book and simulated book
7 technologies is that both include relatively costly electronics -
8 - i.e., microprocessors, memory, display devices, etc. -- as a
9 part of the "book." Thus, these technologies cannot be
10 effectively used to create a "throw-away" interactive magazine,
11 newspaper or advertising brochure.

12 Thus, there remains a need for a method and apparatus for
13 accessing the vast resources of electronic media using a device
14 as familiar and non-intimidating as printed matter. There
15 remains a further need for such a method and apparatus which
16 utilizes a low cost, throw-away printed matter.

17 18 SUMMARY OF THE INVENTION

19 One object of the present invention is a method and
20 apparatus for allowing a user to access electronic media via a
21 printed matter.

22 Another object of the invention is a method and apparatus

1 for allowing a user to access electronic media relating to, or
2 expanding upon, material presented in the printed matter.

3 Another object of the invention is a low cost, throw-away
4 printed matter useful in connection with other objects of the
5 invention.

6 Still another object of the invention is an improved method
7 of providing electronic media services.

8 Yet another object of the invention is an intelligent
9 controller for use in connection with the invention.

10 In accordance with one embodiment, the invention comprises:
11 (i) a printed matter having at least one sensor and a transmitter
12 associated therewith; and (ii) an intelligent controller having a
13 receiver and a means for accessing programming material. A user
14 triggers said sensor through interaction with said printed
15 matter, for example, by touching a particular spot on a page or
16 by turning a page. In response to the triggering of said sensor,
17 the transmitter sends a signal indicative of said sensor. The
18 receiver receives said signal and, in response thereto, the
19 intelligent controller executes a pre-programmed command related
20 to accessing or controlling electronic media or programming. For
21 example, when the user triggers a sensor associated with an
22 advertisement in the printed matter, the intelligent controller

1 may, in response, send a signal via a telephone line, cable
2 connection, or wireless modem or cellular link to a remote video
3 server, and thereby cause a promotional program to appear on the
4 user's television.

5 In accordance with another embodiment, the invention
6 comprises: (i) a printed matter having at least one machine-
7 recognizable feature -- such as a bar code or magnetic strip (or
8 any commonly used printed indicia, such as a printed character,
9 symbol or pictorial icon), (ii) a feature recognition unit having
10 a means for recognizing said feature and a transmitter, and (iii)
11 an intelligent controller having a receiver. The user directs
12 the feature recognition unit to a feature on said printed matter.
13 In response, said recognition unit transmits a signal indicative
14 of the identity of the particular feature. The receiver receives
15 said signal and the intelligent controller, in response thereto,
16 executes an appropriate pre-programmed command.

17 In accordance with another embodiment, the invention
18 comprises: (i) a printed matter having at least one machine-
19 recognizable feature and (ii) an intelligent feature recognition
20 unit having means for recognizing said feature, means for
21 associating said recognized feature with a command, and means for
22 issuing said command over a wireless link. In use, the user

1 directs said intelligent feature recognition unit at a feature on
2 said printed matter. In response, said intelligent recognition
3 unit associates said feature with a pre-programmed command and
4 issues a pre-programmed command sequence over a wireless data
5 link to control or access electronic media services. The command
6 may, for example, be transmitted -- via an infrared (IR) or
7 ultrasound link -- to a CATV control box in the same room, or --
8 via a cellular or satellite link -- to the CATV company office.

9 In accordance with another embodiment, the invention
10 comprises a printed matter having: (i) at least one sensor, (ii)
11 a control module and (iii) a transmitter associated therewith.
12 In response to the triggering of said sensor, said control module
13 directs the transmitter to transmit a command related to
14 accessing or controlling an electronic media service.

15 Other aspects of the invention relate to methods of
16 providing, accessing or utilizing electronic media services. In
17 accordance with one such aspect, the invention involves: (i)
18 providing a printed matter having at least one sensor associated
19 therewith, (ii) providing an intelligent controller which, in
20 response to the triggering of said sensor, performs a pre-
21 programmed command, and (iii) executing said pre-programmed
22 command to access or control an electronic media.

1 Another aspect of the invention involves a method of
2 providing electronic media services, which includes the steps of:
3 (i) providing printed matter to a potential customer and (ii)
4 pre-programming an intelligent controller to access or control an
5 electronic media service in response to an event wherein the
6 customer interacts with the printed matter in a particular
7 manner. Advantageously, said printed matter comprises a low
8 cost, throw-away publication.

9 In accordance with another aspect of the invention, an
10 improved method of providing shop-at-home services includes the
11 steps of: (i) providing to the customer a printed catalogue
12 having at least one sensor or machine-recognizable feature
13 associated therewith, (ii) programming a controller to execute a
14 pre-programmed command in response to an event wherein the
15 customer interacts with said sensor or feature, and (iii)
16 providing a service -- e.g., displaying promotional programming
17 on the customer's television, contacting the customer by
18 telephone, establishing a computer "chat" link, etc. -- by
19 telephone, cable, or wireless link in response to the execution
20 of said command.

21 Another aspect of the present invention relates to an
22 improved method of instruction, including the steps of: (i)

1 providing an instructional printed matter -- such as a textbook,
2 cookbook, children's book or manual -- having at least one sensor
3 or machine-recognizable feature associated therewith, (ii)
4 providing a means, distinct from said textbook or other printed
5 matter, for executing a pre-programmed command in response to an
6 event wherein a reader interacts with said sensor or feature, and
7 (iii) in response to said command, causing or controlling: (a)
8 the electronic delivery or presentation of information related to
9 that in the textbook or other printed matter; and/or (b) the
10 establishment of a communication link to a live tutor or
11 consultant familiar with the subject matter contained in the
12 instructional printed matter.

13 Another aspect of the invention relates to a low cost,
14 throw-away printed matter -- including at least one machine-
15 recognizable feature -- adapted for use in connection with the
16 invention.

17 18 BRIEF DESCRIPTION OF THE DRAWINGS

19 The above -- as well as other -- aspects, objects and
20 features of the present invention will be described in the
21 Detailed Description below, which is intended to be read in
22 conjunction with the following set of drawings, in which:

1 Fig. 1 depicts an embodiment wherein the display unit
2 is embedded within the printed matter;

3 Fig. 2 depicts an embodiment of the invention wherein
4 electronic media is presented on a user's TV set;

5 Fig. 3 depicts an embodiment of the invention wherein
6 programming material is accessed from a remote
7 source;

8 Fig. 4 depicts an embodiment of the invention which
9 includes a feature recognition unit;

10 Fig. 4a depicts an embodiment of the invention wherein
11 the feature recognition unit provides an interface
12 between the display unit and a remote source of
13 programming material;

14 Fig. 5 depicts an embodiment of the invention adapted
15 for presentation of musical programming;

16 Fig. 5a depicts an alternative embodiment of the
17 invention adapted for presentation of musical
18 programming;

19 Fig. 6 depicts an embodiment of the invention wherein
20 the display unit comprises a personal computer;

21 Fig. 6a depicts an embodiment of the invention wherein
22 the user employs a hand-held scanner/pointer

1 device to select features associated with a
2 printed matter and to interface with an
3 intelligent controller or personal computer;

4 Fig. 6b depicts an alternative embodiment of the
5 invention wherein the user employs a separately
6 attached trackball mouse and hand-held scanner
7 device to select features associated with a

8 printed matter and to interface with an
9 intelligent controller or personal computer;

10 Fig. 6c depicts another embodiment of the invention
11 wherein the user employs a separately attached
12 trackball mouse and digital camera device to
13 select features associated with a printed matter
14 and to interface with an intelligent controller or
15 personal computer;

16 Fig. 6d depicts another embodiment of the invention
17 wherein the user employs a microphone set up to
18 interface with an intelligent controller or
19 personal computer which contains voice recognition
20 software to select features associated with a
21 printed matter;

22 Fig. 6e depicts yet another embodiment of the invention

1 wherein the user employs a traditional keyboard
2 set up to interface with an intelligent controller
3 or personal computer for manual entry to select
4 features associated with a printed matter;

5 FIG. 6f depicts another embodiment of the present
6 invention in which a scanable magnetic strip is
7 set up to interface with an intelligent controller
8 or personal computer equipped with a magnetic card
9 reader to select features associated with a
10 printed matter; and

11 Fig. 7 depicts an embodiment of the invention adapted
12 for shop-at-home applications.

13 DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

14 In this section, the various preferred embodiments of the
15 invention are described from two general perspectives. The
16 first, a "functional" perspective, focuses on the contemplated
17 interactions between the user and the various components -- i.e.,
18 the printed matter, controller, display unit, etc. -- of the
19 invention. This functional description provides the insight
20 needed to implement the software or firmware used in connection
21 with the invention. The second perspective, the "apparatus"
22

1 view, describes the various technologies that can be used to
2 implement the individual components of the present invention.

3 4 THE FUNCTIONAL PERSPECTIVE

5 Reference is now made to Fig. 1, which depicts an
6 embodiment of the invention comprising a printed matter 1 in
7 communication (preferably wireless) with a data server 2.
8 Printed matter 1 includes at least one sensor 3 and a controller,
9 which preferably includes a microprocessor 4. A stiff or flexible
10 page 5 (any page within a book) holds a display screen 6.

11 Printed matter 1 can take the form of a book, magazine,
12 manual, musical score, catalog, advertisement, newspaper,
13 telephone or electronic service directory, or other like means.
14 The controller -- including microprocessor 4 -- is preferably
15 embedded within the spine or any other page of printed matter 1.

16 Display screen 6 can be an LED display, a passive or active
17 matrix LCD display or other like means, and may also have an
18 audio transducer associated therewith.

19 Sensor 3 is preferably touch sensitive, but can also be a
20 page sensor or a combination of touch and page sensor, as
21 described below. In response to a user's touch, microprocessor 4
22 causes programming material to be retrieved from data server 2

1 and displayed on screen 6. Data communication between server 2
2 and microprocessor 4 may operate via RF cellular, microwave, IR,
3 optical, conductive, telephonic or CATV links, or any combination
4 of these or other like means.

5 Reference is now made to Fig. 2, which depicts an
6 alternative embodiment of the invention comprising a printed
7 matter 21, an intelligent controller 24 and display unit 25.
8 Printed matter 21 includes at least one sensor 22 and a
9 transmitter 23. In response to a user's actuation of sensor 22,
10 transmitter 23 transmits a coded signal indicative of the
11 identity of the actuated sensor. A receiver 26 in intelligent
12 controller 24 receives the coded signal. Controller 24 then
13 identifies the actuated sensor, and initiates display of
14 appropriate programming material on display unit 25 (which can be
15 a TV set or any other means for audio or audiovisual
16 presentation, including but not limited to a personal computer).
17 Programming material preferably derives from a mass storage
18 device -- e.g., a magnetic disk, CD-ROM, ROM, flash RAM, PCMCIA
19 card or other memory means -- associated with intelligent
20 controller 24 (or with display unit 25). As used herein, the
21 term "memory means" shall also include future storage
22 technologies, such as the recently announced multi-layer CD-ROMs

1 being developed by IBM. See "New I.B.M. Laser Method Stacks Data
2 on Disks," New York Times, May 13, 1994.

3 Reference is now made to Fig. 3, which depicts an embodiment
4 of the invention in which intelligent controller 31 derives
5 programming material from a remote server 30. Controller 31
6 includes means for accessing a remote server 30 of programming
7 material, and preferably further includes means for decompressing
8 compressed programming material received from server 30. In
9 response to a coded signal received by receiver 26, intelligent
10 controller 31 sends an appropriate command to server 30 to select
11 and initiate transfer of appropriate programming material.
12 Controller 31 then receives programming material from remote
13 server 30 and prepares (e.g., decompresses, if necessary) the
14 material for presentation on display unit 25. As with
15 conventional pay-per-view CATV services and on-line computer
16 services, the user is billed according to the volume and/or
17 nature of programming material requested.

18 Reference is now made to Fig. 4, which depicts an embodiment
19 of the invention including a printed matter 40, a feature
20 recognition unit 42, an intelligent controller 31, a server 30
21 and a display unit 25. Printed matter 40 includes at least one
22 machine-recognizable feature 41 in the printed work, such as a

1 bar code, invisible bar code, magnetic code, printed character,
2 symbol or pictorial icon, or other feature.

3 Feature recognition unit 42 is a hand-held device and
4 includes means 44 for recognizing feature 41, a transmitter 45
5 and an optional user actuation switch 43. The user directs
6 recognition unit 42 at a feature and depresses actuation switch
7 43. In response thereto, means 44 for recognizing "reads" (i.e.,
8 for a printed feature, scans and identifies) the feature 41, and
9 transmitter 45 transmits a coded signal indicative of the
10 identity of feature 41. The operation of controller 31, server
11 30 and display unit 25 is otherwise identical or similar to the
12 Fig. 3 embodiment.

13 Still referring to Fig. 4, use of embedded features 41 -- as
14 opposed to sensors -- lowers the fabrication cost of printed
15 matter 40. Advantageously, printed matter 40 can be a low cost,
16 throw-away publication.

17 An identification code generated either by recognition unit
18 42 or intelligent controller 31 allows the user to be billed for
19 his/her use of transmitted material by server 30 and, for
20 commercial applications, allows the advertiser to identify the
21 potential customer.

22 Reference is now made to Fig. 4a, which depicts an

embodiment of the invention in which the functions of the intelligent controller are integrated into a recognition/control unit 46. Unit 46 includes means 44 for recognizing feature 41 and means 48 for accessing -- preferably via a cellular RF link - programming material associated with server 30. In addition, recognition/control unit 46 optionally includes a microprocessor. Either recognition/control unit 46 or display unit 47 may include means for decompressing compressed programming material.

Reference is now made to Fig. 5, which depicts an embodiment of the invention adapted for musical applications. The embodiment includes a printed musical score 50, an electronic baton 51, a music controller 55 and an audio/audiovisual player 56. Using baton 51, the user directs a recognition means 52 -- which can be either a CCD camera or a magnetic detector -- at a particular portion 57 of printed score 50. Transmitter 53 then transmits a coded signal indicative of the selected portion 57. Music controller 55, in response to the coded signal, directs the presentation of appropriate audio or audiovisual programming on player 56. Music controller 55 may include a means for storing programming material -- such as ROM, CD-ROM, flash RAM, PCMCIA card or other memory means -- or an electronic musical synthesizer, or both.

1 Reference is now made to Fig. 5a, which depicts an
2 alternative embodiment of the invention directed to musical
3 applications. In Fig. 5a, music controller 55a retrieves
4 programming material from a remote data server 57. Using a
5 remote server permits continuous updating of programming
6 material, such as replacing one performance or opera company with
7 another. Either player 56 or controller 55a preferably includes
8 means for decompressing compressed programming material received
9 from server 57.

10 Reference is now made to Fig. 6, which depicts an embodiment
11 of the invention utilizing a personal computer to access and
12 display electronic programming material. In this embodiment,
13 portions of the personal computer provide the functions of the
14 previously-described intelligent controller, while other portions
15 of the computer provide the functions of the display unit. The
16 scope of this invention should not be limited to the traditional
17 notions of Personal Computers. The present invention will find
18 use in conjunction with more non-traditional applications such as
19 WEB-TV®, Video Phones, as well as other chip based technologies.
20 An interface unit 60 includes a receiver 26 for receiving a coded
21 signal from a transmitter 23, representative of an actuated
22 sensor 22 (or, in an alternative embodiment which includes a

1 feature recognition unit, from the feature recognition unit
2 indicative of the selected feature) on printed matter 21.
3 Interface unit 60 connects to personal computer 61 by any
4 conventional means, such as an I/O port, card slot, etc.
5 Personal computer 61 monitors the interface unit 60, and displays
6 (or controls the display of) appropriate programming material
7 selected by the user through his/her interaction with printed
8 matter 21.

9 Programming material can be stored on personal computer 61 -
10 - on a ROM, CD-ROM, flash RAM, PCMCIA card, or other disk/card
11 supplied along with printed matter 21 -- or accessed from a
12 remote data server 62.

13 Reference is now made to Fig. 6a, which shows an embodiment
14 of the invention wherein a user employs a hand-held recognition
15 device 67 to: (i) select programming material associated with a
16 feature 41 on a printed matter 40; and (ii) control or interact
17 with a personal computer 65 during the presentation and/or
18 execution of the programming material. The recognition device 67
19 may be comprised of one of many possible devices already in use
20 within the computer and electronics industry.

21 The preferred embodiment may utilize a scanner/mouse which is
22 described in detail in U.S. Patent No. 4,804,949, entitled HAND-

1 HAND-HELD OPTICAL SCANNER AND COMPUTER MOUSE, which is
2 incorporated herein by reference. The Fig. 6a embodiment
3 provides at least two modes of interaction for the use of the
4 Scanner/Mouse:

5 (i) Scan Mode:

6 In this mode, scanner/mouse 67 operates as a
7 scanner. The user points scanner/mouse 67 at a
8 feature 41 in a printed matter 40 and depresses a
9 switch to cause the feature to be scanned.
10 Personal computer 65 receives the scanned image,
11 decodes it, and executes a pre-programmed command
12 in response. Execution of the pre-programmed
13 command may, for example, cause personal computer
14 65 to fetch an interactive software program from a
15 centralized data bank 62, and begin execution of
16 the fetched software. Once the fetched software
17 begins executing, scanner/mouse 67 may be placed
18 into mouse/trackball mode, in order to support
19 interaction between the user and personal computer
20 65.

21 (ii) Mouse/Trackball Mode:

22 In this mode, scanner/mouse 67 operates as a

1 normal X-Y movement sensor, such as a mouse or
2 trackball. Thus, this mode is useful to control
3 conventional graphical interface functions, such
4 as menus, windows, icons, cursors, video games,
5 etc. Those skilled in the art will appreciate
6 that this mode can provide any or all features
7 typically found in modern graphical user
8 interfaces.

9 The scanning function of the mouse may in the alternative be
10 accomplished by the utilization of a bar code or other symbol
11 laser scanning device incorporated within the hand-held unit 67.
12 This invention is commonly used in grocery stores, and automated
13 warehousing applications to price, and inventory goods. These
14 scanners may be manufactured as a single unit with the trackball
15 mouse of the PC 65 or alternatively may be employed as a separate
16 device 69 with separately attached trackball mouse 64 as shown in
17 FIG. 6b. As described in greater detail in U.S. Patent No.
18 4,387,297, entitled PORTABLE LASER SCANNING SYSTEM AND SCANNING
19 METHODS, these laser scanning devices 69 have a trigger within
20 the device which initiates a repetitive scanning of each object
21 bearing a symbol 41, and an indicator displays when the reading
22 of that particular object has been completed. The recognition of

1 the symbol 41 is accomplished by the generation of a miniature
2 light beam from the unit which is reflected in varying intensity
3 depending on the qualities of the symbol 41. A sensing means
4 within the unit detects the intensity of the light reflected from
5 the symbol 41. The detecting means then generates an electrical
6 signal indicative of the detected intensity of the light. A
7 signal processing means then interprets the electrical signals to
8 generate data descriptive of the symbol. The printed matter 40
9 would be affixed with bar codes or other symbols 41 which could
10 be read with the laser scanning device 69. The user would be
11 directed to place the scanning portion of the device upon the
12 symbol 41 and depress the trigger at appropriate times while
13 reading or viewing the printed matter 40. The symbol 41 once
14 scanned and processed would deliver a corresponding digital
15 command, or reference to the software of the PC 65 working in
16 coordination with the scanning device 69.

17 An additional peripheral device which may be employed to
18 recognize symbols could be the digital camera 63 shown in FIG.
19 6c. The digital camera 63 has gained popularity over recent
20 years, and would have the advantage in this application of
21 already being available to consumers who have either purchased it
22 for its picture quality digital images, or for those who would be

1 interested in the cameras multi-functional use including this
2 application. The digital camera 63 employs solid state sensing
3 devices such as a charged coupled device to record images. The
4 optical images which are recorded are then converted to discreet
5 electric signals, which are then stored in various memory
6 devices. The images may then be recalled from the memory device
7 to be displayed, printed, or otherwise manipulated. One of the
8 applications of the digital camera 63 is in the downloading of
9 digital images to personal computers 65. The digital camera 63
10 could therefore be used to download images of symbols 41 within
11 reading materials 40 to the user's PC 65. Symbol processing
12 software on the PC 65 could then interpret symbols downloaded
13 from the digital camera 63 or its memory, and the PC 65 program's
14 code logic would thereby trigger corresponding functions of PC
15 65.

16 The triggering of the functions of PC 65 could also be
17 initialized by verbal commands 58a from the user 58, as shown in
18 FIG. 6d. The PC 65 could be affixed with a microphone 59. As the
19 user 58 reads or works with a printed material 40 she could be
20 instructed to pronounce verbal commands 58a into the microphone
21 59 by feature 41 in the printed matter 40. The PC 65 would then
22 have voice recognition software which would interpret the verbal

1 commands 58a from the printed matter 40 to access the programing
2 material by, for example running applications which correspond
3 with the commands.

4 In yet another alternative embodiment of the invention the
5 feature 41 of printed matter 40 could also be manually entered
6 into the PC 65 by way of a traditional keyboard 68 shown in FIG.
7 6e. Users of the printed matter 40 who, for example, are reading
8 advertisements, or working through a tutorial would be directed
9 to manually input codes or word commands (feature 41) into the PC
10 65 by way of a keyboard 68. The command would then, similar to
11 other sensing devices, initialize a program or PC function which
12 would operate in concert with the printed matter 40.

13 In each of the configurations of this invention described in
14 FIGs. 6a-6f, PC applications may be retrieved from PC interfaces
15 62 such as CD ROM drives, hard drives, PCMCIA cards, Flash RAM,
16 web interfaces, or any other addressable memory device which the
17 PC has access too.

18 The coded information might also be transferred to the
19 computer through a scanable magnetic strip 41a as shown in figure
20 6f. Known magnetic strip technology, used such as that credit and
21 debit cards, has information as fixed electronic data embedded on
22 the surface of the card. The PC 65 will have a magnetic card

1 reader 49 connected to one of its external ports. The printed
2 matter 40 will direct the user to read the magnetic strip 41a
3 into the reader 49. The information embedded on the magnetic
4 strip will provide commands to the PC 65 to access programing
5 material by directing currently running applications, or to
6 retrieve and run applications from remote or local sources.

7 Data collected from the sensing device(s) in the form of
8 digital images or translated to a decoded command may by
9 transferred to the PC 65 via a METHOD AND SYSTEM OF BI-
10 DIRECTIONAL PARALLEL PORT DATA TRANSFER BETWEEN DATA PROCESSING
11 SYSTEMS as described in detail in U.S. Patent No. 5,600,793. This
12 process transfers discreet packets of data both to and from
13 peripheral devices. These devices would be in constant
14 communication, allowing both the sensing device as well as the PC
15 65 to send and receive data. Alternatively the data may be
16 transferred via infra red, microwave or some other light
17 frequency data transfer method. The user might also desire that
18 the sensing device be manufactured in kind with the traditional
19 television remote control device. This would re-enforce the
20 desirability of the unit being manufactured in a wireless unit
21 with a light emitting data transfer method as described above.
22 This advantage would of course be balanced with the cost

1 effectiveness of the design, as well as the reliability of the
2 data transfer via either method.

3 Reference is now made to Fig. 7, which depicts an embodiment
4 of the invention adapted for commercial and shop-at-home
5 applications. The customer views and interacts with a printed
6 matter 70 (via sensors or a feature recognition units, both as
7 previously described). Printed matter 70 is preferably a throw-
8 away catalog or advertising brochure listing commercial items,
9 such as programming choices, merchandise, travel or event
10 schedules, or television and/or radio programming schedules. The
11 user interacts with printed matter 70 (i.e., with certain
12 features and/or sensors therein) to cause a coded signal 71
13 indicative of the customer's selection to be transmitted (either
14 by a transmitter embedded in the printed matter or within a
15 feature recognition unit) to controller 73. In response thereto,
16 controller 73 utilizes a modem/telephone (or other wired or
17 wireless communication) link 74-75 to communicate the customer's
18 selection to a commercial provider's remote office 78 (or to a
19 centralized data bank or information superhighway).

20 The commercial provider preferably uses a "caller ID"
21 function to identify the customer and can respond in a number of
22 ways: (i) have a representative contact the customer; (ii) send

1 the ordered merchandise or tickets to the customer; (iii) direct
2 a data server 72 to provide programming or additional promotional
3 material via a CATV line 76 to controller 73, which replays the
4 material on the customer's TV set; or (iv) download and execute
5 an interactive merchandise selection program on the customer's
6 personal computer or any other electronic media input, output or
7 sensory stimulating device.

8 9 THE APPARATUS PERSPECTIVE:

10 The various technologies used to implement the individual
11 functional components that comprise a part of this invention are
12 described below.

13 14 TOUCH PAD TECHNOLOGY

15 Sensor 3 can be implemented using a wide variety of
16 presently available touch sensitive pad technology. See, for
17 example, U.S. Patent Nos. 5,016,008 entitled DEVICE FOR
18 DETECTING THE POSITION OF A CONTROL MEMBER ON A TOUCH-SENSITIVE
19 PAD, 5,012,124 entitled TOUCH SENSITIVE CONTROL PANEL, 4,862,151
20 entitled REMOTE CONTROL DEVICE FOR A COMPUTER ASSOCIATED WITH A
21 VIDEO SCREEN, 4,827,084 entitled SOLID STATE IMAGE DETECTOR AND
22 SIGNAL GENERATOR and 4,644,101 entitled PRESSURE-RESPONSIVE

1 POSITION SENSOR, all of which are incorporated herein by
2 reference.

3 Referring now to Fig. 2, a plurality of touch sensors 22 are
4 embedded within the back binding of the printed matter 21.
5 Alternatively, touch sensors 22 can be positioned along inner or
6 outer margins of the binding, or of particular pages, of printed
7 matter 21 (or along an edge of a mounting tray in which a
8 disposable printed matter is placed). Electronics mounted within
9 printed matter 21 (or within a mounting tray) responds to the
10 actuation of a touch sensor 22 and transmits a coded signal
11 indicative of the identity of the actuated sensor.

12 Advantageously, touch sensors can be combined with page
13 sensors -- as described in U.S. Patent Nos. 5,209,665; 4,990,092;
14 4,636,881 and 4,809,246, all previously incorporated herein -- to
15 provide a larger number of "effective sensors." In this
16 embodiment, each time a sensor is actuated, the electronics
17 within the printed matter also checks the page sensor(s) to
18 determine which page is currently being viewed. The electronics
19 then generates a coded signal that identifies both the sensor
20 actuated and the currently visible page. Thus, each (page,
21 sensor) combination represents, in essence, a single "effective
22 sensor."

1 Hybrid embodiments combining touch pads and page sensors are
2 also possible. For example, a printed matter might contain a
3 sheet of touch sensors every so many pages, with the page
4 interval being dependent on the stiffness of the pages and the
5 responsiveness of the sensors. That is, if the maximum number of
6 pages through which a user's touch could be reliably detected by
7 a touch sensor was X, then the printed matter would preferably
8 include a sheet of touch sensors every X pages of text.

9 10 INTELLIGENT CONTROLLERS AND DATA/COMMUNICATION SERVERS

11 In accordance with several embodiments of the invention, an
12 intelligent controller controls the selection of programming in a
13 video "file server" system. File servers are well known in the
14 art. Generally, as used herein, the term intelligent controller
15 can refer to computer equipment having either: (a) some type of
16 mass storage device, typically a magnetic or magneto-optical
17 disk, that is connected to a network and utilized as central
18 storage for multiple users via the network; and/or (b) some type
19 of network interface which allows establishment of a
20 communication link with other user(s).

21 Referring to a "file server" type of intelligent controller,
22 the information that is typically stored on such a system

1 consists of binary computer data such as executable programs and
2 corresponding data. Exemplary of the types of corresponding data
3 stored are numbers for spreadsheets, ASCII characters and codes
4 for word processors, and drawing commands for drawing and CAD
5 programs. These or similar types of data do not generally have a
6 time element associated with them, nor do they generally require
7 any extra processing beyond the usual interpretation that is
8 accomplished by the computer program with which they are intended
9 to be used.

10 In contrast, the playback of audio/video information has a
11 time element associated with its use. Furthermore, the amount of
12 data required to store audio/video program information in "raw"
13 digital form is often prohibitive. Thus, it is common to employ
14 audio/video compression techniques to compress audio/video
15 program information before it is stored. As a result, further
16 processing in the form of decompression and digital-to-analog
17 conversion is required before the real-time viewing of an
18 audio/video program can take place. Decompression may be
19 accomplished through the use of known hardware or software
20 techniques. Digital-to-analog conversion may be required,
21 depending on the type of equipment used for viewing the
22 audio/video program. A known audio/video file server apparatus

1 manufactured and marketed by Protocomm of Trevese, Pa. permits
2 real-time playback of compressed audio/video program
3 information.

4 Generally, modern audio/video file server systems include: a
5 storage unit for centrally storing compressed digital audio/video
6 program information, a transceiver for receiving compressed
7 digital audio/video program information from an external source
8 over a network (or wireless communication link) to update the
9 stored audio/video program information, a plurality of playback
10 units, each associated with an external playback line and an
11 external playback station, each including a decompression unit,
12 for receiving selected compressed digital audio/video program
13 information from the storage unit, for decompressing the selected
14 compressed digital audio/video program information received from
15 the storage unit, and for playing it in real time over the
16 associated playback line to the associated playback station, a
17 network interface unit for receiving playback requests from the
18 playback units, and a processor for controlling the storage and
19 playback units to play the decompressed selected audio/video
20 program information in real time for viewing by users at selected
21 playback stations.

22 Such a system is described, for example, in U.S. Patent No.

1 5,262,875 entitled AUDIO/VIDEO FILE SERVER INCLUDING
2 DECOMPRESSION/PLAYBACK MEANS, which is incorporated herein by
3 reference. The '875 system can be adapted to operate in
4 accordance with the present invention by coupling intelligent
5 controller of the present invention with the '875 system's
6 network interface unit (which provides the playback requests to
7 the playback unit). In the '875 system:

8 "Playback may be initiated through a user
9 request from one of the playback stations or
10 through direct interaction with audio/video
11 file server 5. In the latter case, a simple
12 user interface, such as a menu interface,
13 may be employed for selection of the desired
14 program information and the playback
15 station. For example, a menu of the available
16 items of audio/video program information, as
17 named by the user or by the system, may be
18 presented. The user may make a selection
19 through cursor control keys on a keyboard."
20

21 In contrast, the present invention permits the user to select and
22 control the presentation of audio/video programming through a
23 familiar printed matter interface, as has been previously
24 described. The present invention thus offers the advantage of
25 nearly universal accessibility.

26 In accordance with the present invention, multimedia
27 programming is preferably delivered from the file server(s) to
28 the replay unit via an Integrated Service Digital Network (ISDN).

1 U.S. Patent No. 5,206,859 entitled ISDN MULTIMEDIA COMMUNICATIONS
2 SYSTEM, incorporated herein by reference, describes such a
3 system.

4 In accordance with the invention, a variety of means can be
5 employed to communicate selection instructions to the video
6 server and to communicate programming material from the server to
7 the user's display unit. Since the selection instructions are
8 very compact (i.e., low bandwidth), these instructions can be
9 communicated via a standard telephone link using an inexpensive,
10 low speed modem. This is similar, for example, to the method
11 cable TV viewers use to select pay-per-view programming from
12 local CATV companies -- i.e., the viewer calls a particular toll-
13 free number associated with the desired program, and the CATV
14 office uses a "caller ID" function to determine which customer is
15 to receive the program.

16 Communication of the programming material from the server to
17 the display unit may require a higher-bandwidth means. No doubt,
18 certain material -- such as pricing information for a shop-at-
19 home service or scheduling information for a travel booking
20 service -- could be easily transmitted via an inexpensive
21 telephone/modem link. In addition, using the preferred
22 compression/decompression techniques, many multi-media

1 applications could also operate over a conventional telephone
2 link. High quality audio/video programming, however, will likely
3 require a higher bandwidth transmission medium, such as a CATV
4 line, microwave link, DSB link, optical fiber link, cellular
5 radio link, or enhanced bandwidth telephone connection.

6 Although the invention has been described above with
7 reference to several presently preferred embodiments, such
8 embodiments are merely exemplary and are not intended to define
9 the scope of, or exhaustively enumerate the features of, the
10 present invention. Accordingly, the scope of the invention shall
11 be defined by the following claims. Where a feature or
12 limitation of a preferred embodiment is omitted in a claim, it is
13 the inventors' intent that such claim not be construed to
14 impliedly require the omitted feature or limitation.

1 What is claimed is:

2 1. A system for delivering electronic programming to a user,
3 the system comprising:

4 a printed matter having at least one sensor and a
5 transmitter for transmitting a coded signal in
6 response to an actuation of said sensor;
7 an intelligent controller having associated therewith a
8 receiver for receiving said coded signal and a
9 means for accessing programming material; and
10 a display unit for presenting said programming
11 material;

12 wherein said user actuates said sensor to cause said
13 intelligent controller to access said programming
14 material and said display unit to present said
15 programming material to said user.

16 2. A system as defined in claim 1 wherein said sensor comprises
17 a touch sensor.

18 3. A system as defined in claim 1 wherein said sensor comprises
19 a capacitive touch sensor.

20 4. A system as defined in claim 1 wherein said sensor comprises
21 a conductive touch sensor.

22 5. A system as defined in claim 1 wherein said sensor comprises

1 a page sensor.

2 6. A system as defined in claim 1 wherein said printed matter
3 includes both a page sensor and a touch sensor.

4 7. A system as defined in claim 1 wherein said printed matter
5 includes a pad having a plurality of touch sensors.

6 8. A system as defined in claim 1 wherein said printed matter
7 includes a plurality of pads, each having a plurality of
8 touch sensors.

9 9. A system as defined in claim 1 wherein said intelligent
10 controller includes a microprocessor.

11 10. A system as defined in claim 1 wherein said intelligent
12 controller has associated therewith a memory means for
13 storing programming material.

14 11. A system as defined in claim 10 wherein said memory means
15 comprises a magnetic disk.

16 12. A system as defined in claim 10 wherein said memory means
17 comprises a PCMCIA card.

18 13. A system as defined in claim 10 wherein said memory means
19 comprises a flash RAM.

20 14. A system as defined in claim 10 wherein said memory means
21 comprises a cache.

22 15. A system as defined in claim 10 wherein said memory means

comprises a CD-ROM.

16. A system as defined in claim 10 wherein said memory means is selected from the group consisting of: a ROM; a WORM disk; a floppy disk; a multi-layer optical disk; a magneto-optical disk; an IC card; a magnetic bubble memory; a sequential access memory; a magnetic tape; a magnetic drum; a magneto-optical drum; a static RAM; and a dynamic RAM.

17. A system as defined in claim 1 wherein said intelligent controller includes a removable memory means.

18. A system as defined in claim 17 wherein said printed matter and said removable memory means are supplied to, or purchased by, the user as a set.

19. A system as defined in claim 1 wherein said means for accessing programming material operates via a data link.

20. A system as defined in claim 19 wherein said data link comprises a telephone line.

21. A system as defined in claim 19 wherein said data link comprises a computer network.

22. A system as defined in claim 19 wherein said data link comprises an ISDN network.

23. A system as defined in claim 19 wherein said data link comprises an Ethernet network.

1 24. A system as defined in claim 19 wherein said data link
2 comprises a CATV line.

3 25. A system as defined in claim 1 wherein said intelligent
4 controller has associated therewith a buffer for temporarily
5 storing the programming material.

6 26. A system as defined in claim 1 wherein said intelligent
7 controller includes means for decompressing compressed
8 programming material.

9 27. A system as defined in claim 1 wherein said display unit
10 comprises a video display.

11 28. A system as defined in claim 1 wherein said display unit
12 comprises an audio transducer.

13 29. A system as defined in claim 1 wherein said display unit
14 comprises a flat panel display.

15 30. A system as defined in claim 29 wherein said flat panel
16 display is embedded within said printed matter.

17 31. A system as defined in claim 1 wherein said display unit has
18 associated therewith a buffer for temporarily storing
19 programming material.

20 32. A system as defined in claim 1 wherein said display unit has
21 associated therewith means for decompressing compressed
22 programming material.

- 1 33. A system as defined in claim 1 wherein said display unit
2 comprises a CATV converter, or wireless cable converter, and
3 a television set coupled thereto.
- 4 34. A system as defined in claim 1 wherein said display unit
5 comprises a personal computer.
- 6 35. A system as defined in claim 34 wherein said personal
7 computer includes a CD-ROM for storing programming material.
- 8 36. A system as defined in claim 34 wherein said personal
9 computer includes means for decompressing compressed
10 programming material.
- 11 37. A system as defined in claim 1 wherein said intelligent
12 controller and said display unit each comprise portions of a
13 personal computer.
- 14 38. A system as defined in claim 1 wherein said programming
15 material includes entertainment programming.
- 16 39. A system as defined in claim 1 wherein said programming
17 material includes educational programming.
- 18 40. A system as defined in claim 1 wherein said programming
19 material supplements information contained in said printed
20 matter.
- 21 41. A system as defined in claim 1 wherein said programming
22 material includes commercial programming.

1 42. A system as defined in claim 1 wherein said programming
2 material includes promotional programming.

3 43. A system as defined in claim 1 wherein said programming
4 material includes informational programming.

5 44. A system as defined in claim 1 wherein said transmitter and
6 receiver communicate via an energy pathway.

7 45. A system as defined in claim 44 wherein said energy pathway
8 comprises a conductive cable.

9 46. A system as defined in claim 44 wherein said energy pathway
10 comprises an optical cable.

11 47. A system as defined in claim 44 wherein said energy pathway
12 comprises a capacitively coupled link.

13 48. A system as defined in claim 1 wherein said transmitter and
14 receiver communicate via a wireless RF link.

15 49. A system as defined in claim 1 wherein said transmitter and
16 receiver communicate via an IR link.

17 50. A system for displaying programming to a user, the system
18 comprising:

19 a printed matter having at least one machine

20 recognizable feature;

21 a feature recognition unit having associated therewith

22 a means for recognizing said feature and a

1 transmitter for transmitting a coded signal in
2 response to the recognition of said feature;
3 an intelligent controller having associated therewith a
4 receiver for receiving said coded signal and means
5 for accessing programming material; and
6 a display unit for presenting said programming
7 material;
8 wherein said recognition unit, in response to the
9 recognition of said feature, causes said
10 intelligent controller to access said programming
11 material and said display unit to execute or
12 display said programming material.

13 51. A system as defined in claim 50 wherein said intelligent
14 controller includes a microprocessor.

15 52. A system as defined in claim 50 wherein said intelligent
16 controller has associated therewith a memory means for
17 storing programming material.

18 53. A system as defined in claim 52 wherein said memory means
19 comprises a magnetic disk.

20 54. A system as defined in claim 52 wherein said memory means
21 comprises a PCMCIA card.

22 55. A system as defined in claim 52 wherein said memory means

comprises a flash RAM.

56. A system as defined in claim 52 wherein said memory means comprises a cache.

57. A system as defined in claim 52 wherein said memory means comprises a CD-ROM.

58. A system as defined in claim 52 wherein said memory means is selected from the group consisting of: a ROM; a WORM disk; a floppy disk; a multi-layer optical disk; a magneto-optical disk; an IC card; a magnetic bubble memory; a sequential access memory; a magnetic tape; a magnetic drum; a magneto-optical drum; a static RAM; and a dynamic RAM.

59. A system as defined in claim 50 wherein said intelligent controller includes a removable memory means.

60. A system as defined in claim 59 wherein said printed matter and said removable memory means are supplied to, or purchased by, the user as a set.

61. A system as defined in claim 50 wherein said means for accessing programming material operates via a data link.

62. A system as defined in claim 61 wherein said data link comprises a telephone line.

63. A system as defined in claim 61 wherein said data link comprises a computer network.

- 1 64. A system as defined in claim 61 wherein said data link
2 comprises an ISDN network.
- 3 65. A system as defined in claim 61 wherein said data link
4 comprises an Ethernet network.
- 5 66. A system as defined in claim 61 wherein said data link
6 comprises a CATV line.
- 7 67. A system as defined in claim 50 wherein said intelligent
8 controller has associated therewith a buffer for temporarily
9 storing the programming material.
- 10 68. A system as defined in claim 50 wherein said intelligent
11 controller includes means for decompressing compressed
12 programming material.
- 13 69. A system as defined in claim 50 wherein said display unit
14 comprises a video display.
- 15 70. A system as defined in claim 50 wherein said display unit
16 comprises an audio transducer.
- 17 71. A system as defined in claim 50 wherein said display unit
18 comprises a flat panel display.
- 19 72. A system as defined in claim 71 wherein said flat panel
20 display is embedded within said printed matter.
- 21 73. A system as defined in claim 50 wherein said display unit
22 has associated therewith a buffer for temporarily storing

1 programming material.

2 74. A system as defined in claim 50 wherein said display unit
3 has associated therewith means for decompressing compressed
4 programming material.

5 75. A system as defined in claim 50 wherein said display unit
6 comprises a CATV converter, or wireless cable converter, and
7 a television set coupled thereto.

8 76. A system as defined in claim 50 wherein said display unit
9 comprises a personal computer.

10 77. A system as defined in claim 76 wherein said personal
11 computer includes a CD-ROM for storing programming material.

12 78. A system as defined in claim 76 wherein said personal
13 computer includes means for decompressing compressed
14 programming material.

15 79. A system as defined in claim 50 wherein said intelligent
16 controller and said display unit each comprise portions of a
17 personal computer.

18 80. A system as defined in claim 50 wherein said programming
19 material includes entertainment programming.

20 81. A system as defined in claim 50 wherein said programming
21 material includes educational programming.

22 82. A system as defined in claim 50 wherein said programming

1 material supplements information contained in said printed
2 matter.

3 83. A system as defined in claim 50 wherein said programming
4 material includes commercial programming.

5 84. A system as defined in claim 50 wherein said programming
6 material includes promotional programming.

7 85. A system as defined in claim 50 wherein said programming
8 material includes informational programming.

9 86. A system as defined in claim 50 wherein said transmitter and
10 receiver communicate via an energy pathway.

11 87. A system as defined in claim 86 wherein said energy pathway
12 comprises a conductive cable.

13 88. A system as defined in claim 86 wherein said energy pathway
14 comprises an optical cable.

15 89. A system as defined in claim 86 wherein said energy pathway
16 comprises a capacitively coupled link.

17 90. A system as defined in claim 50 wherein said transmitter and
18 receiver communicate via a wireless RF link.

19 91. A system as defined in claim 50 wherein said transmitter and
20 receiver communicate via an IR link.

21 92. A system as defined in claim 50 wherein said feature
22 comprises a bar code.

1 93. A system as defined in claim 50 wherein said feature
2 comprises an invisible bar code.

3 94. A system as defined in claim 50 comprises wherein said
4 feature comprises a magnetic code.

5 95. A system as defined in claim 50 wherein said feature
6 comprises printed indicia.

7 96. A system as defined in claim 50 wherein said recognition
8 unit comprises a hand-held unit.

9 97. A system as defined in claim 96 wherein said hand-held
10 recognition unit includes a CCD camera.

11 98. A system as defined in claim 96 wherein said hand-held
12 recognition unit includes a bar code reader.

13 99. A system as defined in claim 96 wherein said hand-held
14 recognition unit comprises a magnetic detector.

15 100. A system as defined in claim 96 wherein said hand-held
16 recognition unit comprises a scanner/mouse.

17 101. A system for delivering electronic programming to a user,
18 the system comprising:

19 a printed matter having associated therewith at least
20 one sensor, a controller responsive to an
21 actuation of said sensor, and a transmitter
22 responsive to said controller for transmitting a

1 coded signal; and

2 a display unit having associated therewith a receiver
3 for receiving said coded signal, means for
4 accessing programming material in response
5 thereto, and means for displaying or executing
6 said programming material; and

7 wherein said user actuates said sensor to cause said
8 programming material to be accessed and displayed
9 or executed.

10 102. A system as defined in claim 101 wherein said controller
11 includes a microprocessor.

12 103. A system as defined in claim 101 wherein said display unit
13 further has associated therewith a memory means for storing
14 programming material.

15 104. A system as defined in claim 103 wherein said memory means
16 comprises a magnetic disk.

17 105. A system as defined in claim 103 wherein said memory means
18 comprises a PCMCIA card.

19 106. A system as defined in claim 103 wherein said memory means
20 comprises a flash RAM.

21 107. A system as defined in claim 103 wherein said memory means
22 comprises a cache.

1 108. A system as defined in claim 103 wherein said memory means
2 comprises a CD-ROM.

3 109. A system as defined in claim 101 wherein said memory means
4 is selected from the group consisting of: a ROM; a WORM
5 disk; a floppy disk; a multi-layer optical disk; a magneto-
6 optical disk; an IC card; a magnetic bubble memory; a
7 sequential access memory; a magnetic tape; a magnetic drum;
8 a magneto-optical drum; a static RAM; and a dynamic RAM.

9 110. A system as defined in claim 101 wherein said further has
10 associated therewith a removable memory means.

11 111. A system as defined in claim 110 wherein said printed matter
12 and said removable memory means are supplied to, or
13 purchased by, the user as a set.

14 112. A system as defined in claim 101 wherein said means for
15 accessing programming material operates via a data link.

16 113. A system as defined in claim 112 wherein said data link
17 comprises a telephone line.

18 114. A system as defined in claim 112 wherein said data link
19 comprises a computer network.

20 115. A system as defined in claim 112 wherein said data link
21 comprises an ISDN network.

22 116. A system as defined in claim 112 wherein said data link

comprises an Ethernet network.

117. A system as defined in claim 112 wherein said data link comprises a CATV line.

118. A system as defined in claim 101 wherein said controller has associated therewith a power-down or slow-down circuit for reducing power consumption in said controller.

119. A system as defined in claim 101 wherein said controller has associated therewith a solar cell for powering said controller..

120. A system as defined in claim 101 wherein said display unit comprises a video display.

121. A system as defined in claim 101 wherein said display unit comprises an audio transducer.

122. A system as defined in claim 101 wherein said display unit comprises a flat panel display.

123. A system as defined in claim 122 wherein said flat panel display is embedded within said printed matter.

124. A system as defined in claim 101 wherein said display unit has associated therewith a buffer for temporarily storing programming material.

125. A system as defined in claim 101 wherein said display unit has associated therewith means for decompressing compressed

1 programming material.

2 126. A system as defined in claim 101 wherein said display unit
3 comprises a CATV converter, or wireless cable converter, and
4 a television set coupled thereto.

5 127. A system as defined in claim 101 wherein said display unit
6 comprises a personal computer.

7 128. A system as defined in claim 127 wherein said personal
8 computer includes a CD-ROM for storing programming material.

9 129. A system as defined in claim 127 wherein said personal
10 computer includes means for decompressing compressed
11 programming material.

12 130. A system as defined in claim 101 wherein said controller and
13 said display unit each comprise portions of a personal
14 computer.

15 131. A system as defined in claim 101 wherein said programming
16 material includes entertainment programming.

17 132. A system as defined in claim 101 wherein said programming
18 material includes educational programming.

19 133. A system as defined in claim 101 wherein said programming
20 material supplements information contained in said printed
21 matter.

22 134. A system as defined in claim 101 wherein said programming

1 material includes commercial programming.

2 135. A system as defined in claim 101 wherein said programming
3 material includes promotional programming.

4 136. A system as defined in claim 101 wherein said programming
5 material includes informational programming.

6 137. A system as defined in claim 101 wherein said transmitter
7 and receiver communicate via an energy pathway.

8 138. A system as defined in claim 137 wherein said energy pathway
9 comprises a conductive cable.

10 139. A system as defined in claim 137 wherein said energy pathway
11 comprises an optical cable.

12 140. A system as defined in claim 137 wherein said energy pathway
13 comprises a capacitively coupled link.

14 141. A system as defined in claim 101 wherein said transmitter
15 and receiver communicate via a wireless RF link.

16 142. A system as defined in claim 101 wherein said transmitter
17 and receiver communicate via an IR link.

18 143. A method of providing, accessing or utilizing electronic
19 media services, the method comprising the steps of:

20 providing a printed matter having at least one sensor
21 associated therewith;

22 providing or programming an intelligent controller to,

1 in response to an actuation of said sensor,
2 perform a pre-programmed command; and
3 executing said pre-programmed command to access or
4 control an electronic media.

5 144. A method of providing electronic programming material, the
6 method comprising the steps of:

7 providing a printed matter to a potential customer;
8 pre-programming an intelligent controller to access or
9 control the transmission of electronic programming
10 material in response to an event wherein the
11 customer interacts with the printed matter in a
12 particular manner; and
13 displaying or executing said programming material in
14 response to the intelligent controller.

15 145. A method as defined in claim 144 wherein said printed matter
16 comprises a low-cost, throw away publication.

17 146. A method as defined in claim 144 wherein said customer
18 utilizes a feature recognition unit to interact with said
19 printed matter.

20 147. A method of providing or accessing shop-at-home services,
21 the method including the steps of:

22 incorporating within a printed catalogue at least one

1 sensor or machine-recognizable feature;
2 programming a controller to execute a pre-programmed
3 command in response to an event wherein a customer
4 interacts with said sensor or feature; and
5 responding to the execution of said pre-programmed
6 command.

7 148. A method as defined in claim 147 wherein responding
8 comprises presenting or delivering commercial programming to
9 the customer.

10 149. A method as defined in claim 147 wherein responding
11 comprises presenting or delivering promotional programming
12 to the customer.

13 150. A method as defined in claim 147 wherein responding
14 comprises contacting the customer by telephone.

15 151. A method as defined in claim 147 wherein responding
16 comprises providing an electronic menu to the customer.

17 152. A method as defined in claim 151, further comprising the
18 step of responding to the customer's menu selection(s).

19 153. An improved method of instruction, said method including the
20 steps of:

21 providing a printed textbook having at least one sensor
22 or machine-recognizable feature associated

therewith;

providing a means, distinct from said textbook, for
executing a pre-programmed command in response to
an event wherein a reader of the textbook
interacts with said sensor or feature; and
responding to the execution of said command.

154. An improved method of instruction as defined in claim 153
wherein responding comprises: causing or controlling the
delivery or presentation of multimedia material or other
information related to that in the textbook to the reader.

155. An improved method of instruction as defined in claim 153
wherein responding comprises: forming a communication link
between the reader and a tutor or consultant.

156. A low cost, throw-away printed matter useful for accessing
electronic media services, said printed matter including:

at least one sensor; and

means, responsive to an actuation of said sensor, for
transmitting a coded signal indicative of said
sensor.

157. A feature recognition unit useful, in combination with a
printed matter, for accessing electronic media services,
said recognition unit comprising:

1 means for recognizing features on said printed matter;

2 and

3 means, responsive to the recognition of a feature, for

4 transmitting a coded signal indicative of said

5 recognized feature.

6 158. A feature recognition unit as defined in claim 157 wherein

7 said means for recognizing reads bar codes.

8 159. A feature recognition unit as defined in claim 157 wherein

9 said means for recognizing reads printed indicia.

10 160. A feature recognition unit as defined in claim 157 wherein

11 said means for recognizing reads magnetic codes.

12 161. A feature recognition unit as defined in claim 157 wherein

13 said means for recognizing comprises a CCD camera.

14 162. A feature recognition unit as defined in claim 157 wherein

15 said means for recognizing comprises a bar code reader.

16 163. A feature recognition unit as defined in claim 157, further

17 including a microprocessor.

18 164. A system for delivering an electronic advertisement to a

19 user, the system comprising:

20 a printed advertisement having associated therewith at

21 least one sensor or machine-recognizable feature,

22 a controller, responsive to an actuation of said

1 sensor or a recognition of said machine-
2 recognizable feature, and a transmitter,
3 responsive to said controller, for transmitting a
4 coded signal; and

5 a display unit including a receiver for receiving said
6 coded signal and means for providing said user
7 with said electronic advertisement related to said
8 printed advertisement.

9 165. A system for delivering information services to a user,
10 the system comprising:

11 a printed reference having associated therewith at
12 least one sensor or machine-recognizable feature,
13 a controller, responsive to an actuation of said
14 sensor or a recognition of said machine-
15 recognizable feature, and a transmitter,
16 responsive to said controller, for transmitting a
17 coded signal; and

18 a display unit including a receiver for receiving said
19 coded signal and means for providing said user
20 with said information services related to said
21 printed reference.

22 166. A system for delivering information services as defined in

1 claim 165 wherein said display unit is contained within a
2 personal communicator device.

3 167. A system for delivering information services as defined in
4 claim 165 wherein said display unit is contained within a
5 remote pager device.

ABSTRACT

The disclosed methods and apparatus relate generally to the electronics media industry, such as cable television (CATV), home shopping services, on-line computer services and computer memory applications. These methods and apparatus allow a user to access and make use of electronic media input and output devices by reference to and/or utilization of standard printed matter, such as magazines, textbooks, or any other printed matter that can be correlated to electronic media.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 4a




Fig. 5




Fig. 5a




Fig. 6




Fig. 6a




Fig. 6b




Fig. 6c




Fig. 6d




Fig. 6e.




Fig. 6f




Fig. 7

DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below at 201 et seq. underneath my name.

I believe I am the original, first and sole inventor if only one name is listed at 201 below, or an original, first and joint inventor if plural names are listed at 201 et below, of the subject matter which is claimed and for which a patent is sought on the invention entitled METHOD AND APPARATUS FOR ACCESS ELECTRONIC DATA VIA A FAMILIAR PRINTED MEDIUM, the specification of which:

is attached hereto X was filed on May 25, 1994 as Application Serial No. 08/250799 (for declaration not accompanying application)

with amendment(s) filed (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119/§172 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed.

EARLIEST FOREIGN APPLICATION(S), IF ANY, FILED PRIOR TO THE FILING DATE OF THE APPLICATION			
APPLICATION NUMBER	COUNTRY	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119/172
			YES <input type="checkbox"/> NO <input type="checkbox"/>
			YES <input type="checkbox"/> NO <input type="checkbox"/>
			YES <input type="checkbox"/> NO <input type="checkbox"/>
			YES <input type="checkbox"/> NO <input type="checkbox"/>

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each claim of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of prior application and the national or PCT international filing date of this application:

APPLICATION SERIAL NO.	FILING DATE	STATUS		
		PATENTED	PENDING	ABANDONED

POWER OF ATTORNEY: As a named inventor, I hereby appoint John F. Ward (Reg. No. 33,811) and John W. Olivo, Jr. (Reg. No. 35,634), whose address is 708 Third Avenue, New York, New York 10017, and each of them, my attorneys, to prosecute this application, and to transact all business in the Patent and Trademark Office connected therewith.

SEND CORRESPONDENCE TO:

WARD & OLIVO
703 THIRD AVENUE
NEW YORK, NEW YORK 10017DIRECT TELEPHONE CALLS TO:
WARD & OLIVO
(212) 697-6262

2 0 1	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	COUNTRY OF CITIZENSHIP UNITED STATES OF AMERICA	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	STATE OR COUNTRY		ZIP CODE
	POST OFFICE ADDRESS	CITY	NEW JERSEY	NEW JERSEY		07078
		31 KNOLLWOOD ROAD	SHORT HILLS			
2 0 2	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	COUNTRY OF CITIZENSHIP UNITED STATES OF AMERICA	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	STATE OR COUNTRY		ZIP CODE
	POST OFFICE ADDRESS	CITY	NEW YORK	NEW YORK		10025
		382 CENTRAL PARK WEST, #11D	NEW YORK			
2 0 3	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	COUNTRY OF CITIZENSHIP UNITED STATES OF AMERICA	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	STATE OR COUNTRY		ZIP CODE
	POST OFFICE ADDRESS	CITY	NEW JERSEY	NEW JERSEY		07078
		31 KNOLLWOOD ROAD	SHORT HILLS			
2 0 4	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	COUNTRY OF CITIZENSHIP	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	STATE OR COUNTRY		ZIP CODE
	POST OFFICE ADDRESS	CITY				
2 0 5	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	COUNTRY OF CITIZENSHIP	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	STATE OR COUNTRY		ZIP CODE
	POST OFFICE ADDRESS	CITY				
2 0 6	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	COUNTRY OF CITIZENSHIP	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	STATE OR COUNTRY		ZIP CODE
	POST OFFICE ADDRESS	CITY				

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 201	SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203
<i>James A. Rathus</i>	<i>Jeffrey S. Nevid</i>	<i>Lois Fichner-Rathus</i>
DATE	DATE	DATE
6/23/94	6/24/94	6/23/94
SIGNATURE OF INVENTOR 204	SIGNATURE OF INVENTOR 205	SIGNATURE OF INVENTOR 206
DATE	DATE	DATE